



HATCH V - VERTICAL (VERSION LEFT + RIGHT)



LEFT VERSION



RIGHT VERSION



Model	Overall dimensions		Leaf dimensions		Frame dimensions			Thickness		Opening dimensions		Cutout dimensions			Lock type	Weight +/- 5%
	A	B	C	D	E	F	G	H	I	J	K	L	M	N		
444x444-V	444	444	360	360	37	413	413	78	3,8	329	329	418	418	45-78	Single-point lock	
570x444-V	570	444	486	360	37	539	413	78	3,8	455	329	544	418	45-78	Single-point lock	
617x444-V	617	444	533	360	37	586	413	78	3,8	502	329	591	418	45-78	Single-point lock	
444x570-V	444	570	360	486	37	413	539	78	3,8	329	455	418	544	45-78	Single-point lock	
570x570-V	570	570	486	486	37	539	539	78	3,8	455	455	544	544	45-78	Single-point lock	
617x570-V	617	570	533	486	37	586	539	78	3,8	502	455	591	544	45-78	Single-point lock	
717x570-V	717	570	633	486	37	686	539	78	3,8	602	455	691	544	45-78	Single-point lock	
766x570-V	766	570	682	486	37	735	539	78	3,8	651	455	740	544	45-78	Single-point lock	
444x617-V	444	617	360	533	37	413	586	78	3,8	329	502	418	591	45-78	Single-point lock	
570x617-V	570	617	486	533	37	539	586	78	3,8	455	502	544	591	45-78	Single-point lock	
617x617-V	617	617	533	533	37	586	586	78	3,8	502	502	591	591	45-78	Single-point lock	
717x617-V	717	617	633	533	37	686	586	78	3,8	602	502	691	591	45-78	Single-point lock	
766x617-V	766	617	682	533	37	735	586	78	3,8	651	502	740	591	45-78	Single-point lock	
444x717-V	444	717	360	633	37	413	686	78	3,8	329	602	418	691	45-78	Three-point lock	
570x717-V	570	717	486	633	37	539	686	78	3,8	455	602	544	691	45-78	Three-point lock	
617x717-V	617	717	533	633	37	586	686	78	3,8	502	602	591	691	45-78	Three-point lock	
717x717-V	717	717	633	633	37	686	686	78	3,8	602	602	691	691	45-78	Three-point lock	
766x717-V	766	717	682	633	37	735	686	78	3,8	651	602	740	691	45-78	Three-point lock	
902x717-V	902	717	818	633	37	871	686	78	3,8	787	602	876	691	45-78	Three-point lock	
444x766-V	444	766	360	682	37	413	735	78	3,8	329	651	418	740	45-78	Three-point lock	
570x766-V	570	766	486	682	37	539	735	78	3,8	455	651	544	740	45-78	Three-point lock	
617x766-V	617	766	533	682	37	586	735	78	3,8	502	651	591	740	45-78	Three-point lock	
717x766-V	717	766	633	682	37	686	735	78	3,8	602	651	691	740	45-78	Three-point lock	
766x766-V	766	766	682	682	37	735	735	78	3,8	651	651	740	740	45-78	Three-point lock	
902x766-V	902	766	818	682	37	871	735	78	3,8	787	651	876	740	45-78	Three-point lock	
444x902-V	444	902	360	818	37	413	871	78	3,8	329	787	418	876	45-78	Three-point lock	
570x902-V	570	902	486	818	37	539	871	78	3,8	455	787	544	876	45-78	Three-point lock	
617x902-V	617	902	533	818	37	586	871	78	3,8	502	787	591	876	45-78	Three-point lock	
717x902-V	717	902	633	818	37	686	871	78	3,8	602	787	691	876	45-78	Three-point lock	
766x902-V	766	902	682	818	37	735	871	78	3,8	651	787	740	876	45-78	Three-point lock	
902x902-V	902	902	818	818	37	871	871	78	3,8	787	787	876	876	45-78	Three-point lock	
1104x902-V	1104	902	1020	818	37	1073	871	78	3,8	989	787	1078	876	45-78	Three-point lock	
444x1104-V	444	1104	360	1020	37	413	1073	78	3,8	329	989	418	1078	45-78	Three-point lock	
570x1104-V	570	1104	486	1020	37	539	1073	78	3,8	455	989	544	1078	45-78	Three-point lock	
617x1104-V	617	1104	533	1020	37	586	1073	78	3,8	502	989	591	1078	45-78	Three-point lock	

717x1104-V	717	1104	633	1020	37	686	1073	78	3,8	602	989	691	1078	45-78	Three-point lock	
766x1104-V	766	1104	682	1020	37	735	1073	78	3,8	651	989	740	1078	45-78	Three-point lock	
902x1104-V	902	1104	818	1020	37	871	1073	78	3,8	787	989	876	1078	45-78	Three-point lock	
1104x1104-V	1104	1104	1020	1020	37	1073	1073	78	3,8	989	989	1078	1078	45-78	Three-point lock	
444x1276-V	444	1276	360	1192	37	413	1245	78	3,8	329	1161	418	1250	45-78	Three-point lock	
570x1276-V	570	1276	486	1192	37	539	1245	78	3,8	455	1161	544	1250	45-78	Three-point lock	
617x1276-V	617	1276	533	1192	37	586	1245	78	3,8	502	1161	591	1250	45-78	Three-point lock	
717x1276-V	717	1276	633	1192	37	686	1245	78	3,8	602	1161	691	1250	45-78	Three-point lock	
766x1276-V	766	1276	682	1192	37	735	1245	78	3,8	651	1161	740	1250	45-78	Three-point lock	
902x1276-V	902	1276	818	1192	37	871	1245	78	3,8	787	1161	876	1250	45-78	Three-point lock	
1104x1276-V	1104	1276	1020	1192	37	1073	1245	78	3,8	989	1161	1078	1250	45-78	Three-point lock	